

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 07/06/2025

Revised on 07/06/2025

1 Identification

- **Product Identifier**
- **Trade Name: 440-R SMT Detergent**
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** No further relevant information available.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Smart Sonic
837 E. 79th Street
Cleveland, OH 44103
P: 818-707-3110
- **Emergency telephone number:** Chemtrec 1-800-424-9300 or outside USA 1-703-527-3887

2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Corrosion

Skin corrosion 1A H314 Causes severe skin burns and eye damage.
Eye damage 1 H318 Causes serious eye damage.



Acute toxicity - oral 4 H302 Harmful if swallowed.

- **Label elements:**
- **Hazard pictograms:**



- **Signal word:** Danger
- **Hazard-determining components of labeling:**
Sodium Hydroxide
- **Hazard statements:**
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
- **Precautionary statements:**
P260 Do not breathe dusts or mists.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 07/06/2025

Revised on 07/06/2025

Trade Name: 440-R SMT Detergent

- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P363 Wash contaminated clothing before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values. 0 % of the mixture consists of component(s) of unknown toxicity.

· **Information pertaining to particular dangers for man and environment:**

- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



- **Hazard(s) not otherwise classified (HNOC):** None known

· **Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/Information on Ingredients

· **Chemical characterization: Substance**

· **Description:**

Mixture of substances listed with non-hazardous additions and/or components that are less than listing threshold. All non-hazardous, components listed under threshold, and listed component total 100%.

· **Dangerous Components:**

1344-09-8	Silicic acid, sodium salt ⚠ Acute toxicity - oral 4, H302; Skin irritation 2, H315; Eye irritation 2A, H319; Specific target organ toxicity (single exposure) 3, H335	<10%
1310-73-2	Sodium Hydroxide ⚠ Skin corrosion 1A, H314; ⚠ Acute toxicity - oral 4, H302 Specific concentration limits: Skin Corrosion 1A; H314: C ≥ 5 % Skin Corrosion 1B; H314: 2 % ≤ C < 5 % Skin Irritation 2; H315: 0.5 % ≤ C < 2 % Eye Irritation 2; H319: 0.5 % ≤ C < 2 %	<5%

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

(Contd. on page 3)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 07/06/2025

Revised on 07/06/2025

Trade Name: 440-R SMT Detergent

4 First-Aid Measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in the side position for transportation.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation occurs, consult a doctor.
- **After eye contact:**
Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.
Remove contact lenses, if present and easy to do. Continue rinsing. Get medical aid immediately.
- **After swallowing:**
Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. If victim is conscious and alert, give 2-4 cupfuls of water. Get medical attention immediately.
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not let this chemical enter the environment. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Dispose of the collected material according to regulations.

· **PAC-1:**

1344-09-8	Silicic acid, sodium salt	5.9 mg/m ³
1310-73-2	Sodium Hydroxide	0.50 mg/m ³

· **PAC-2:**

1344-09-8	Silicic acid, sodium salt	65 mg/m ³
1310-73-2	Sodium Hydroxide	5.0 mg/m ³

(Contd. on page 4)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 07/06/2025

Revised on 07/06/2025

Trade Name: 440-R SMT Detergent

· PAC-3:		
1344-09-8	Silicic acid, sodium salt	390 mg/m ³
1310-73-2	Sodium Hydroxide	50 mg/m ³

· **Reference to other sections:**

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and Storage

· **Precautions for safe handling:**

Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Keep container tightly closed.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:**

Store in a cool, dry, well-ventilated area away from incompatible substances. Store in a tightly closed container.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

· **Control parameters:**

· **Components with occupational exposure limits:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituents have no known exposure limits.

1310-73-2 Sodium Hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

· **Appropriate engineering controls** No further data; see section 7.

· **Personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 07/06/2025

Revised on 07/06/2025

Trade Name: 440-R SMT Detergent

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· **Eye protection:**



Safety goggles

· **Limitation and supervision of exposure into the environment:** None

9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Color:**

Colorless to pale yellow

· **Odor:**

· **Odor threshold:**

Not determined.

· **Melting point/Melting range:**

Not determined.

· **Boiling point/Boiling range:**

Not determined.

· **Flammability:**

Not applicable.

· **Explosion limits:**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

None

· **Auto igniting:**

Not applicable

· **Decomposition temperature:**

Not determined.

· **pH-value @ 20 °C (68 °F):**

12.3-13.3

· **Viscosity:**

· **Kinematic:**

Not determined.

· **Dynamic:**

Not determined.

· **Solubility in / Miscibility with:**

· **Water:**

Fully miscible.

· **Partition coefficient (n-octanol/water):**

Not determined.

· **Vapor pressure:**

Not determined.

· **Vapor pressure:**

· **Density @ 20 °C (68 °F):**

1.052-1.072 g/cm³ (8.7789-8.9458 lbs/gal)

· **Relative density:**

Not determined.

· **Vapor density:**

Not determined.

· **Particle characteristics**

Not applicable.

· **Other information:**

· **Appearance:**

· **Form:**

Liquid

(Contd. on page 6)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 07/06/2025

Revised on 07/06/2025

Trade Name: 440-R SMT Detergent

- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Solvent content:**
- **VOC content:** 0.00 %
- **Change in condition**
- **Evaporation rate:** Not determined.

10 Stability and Reactivity

- **Reactivity:** High temperatures and fire conditions can result in the formation of carbon monoxide and carbon dioxide.
- **Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Incompatible materials, ignition sources.
- **Incompatible materials:** Strong acids.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

LD/LC50 values that are relevant for classification:		
1344-09-8 Silicic acid, sodium salt		
Oral	LD50	>2,000 mg/kg (Rat)
Dermal	LD50	>4,640 mg/kg (rabbit)
1310-73-2 Sodium Hydroxide		
Oral	LD50	2,000 mg/kg (Rat)
Inhalative	LC50/96 hours	45.4 mg/l (Oncorhynchus mykiss)

- **Primary irritant effect:**
- **On the skin:** Strong caustic effect on skin and mucous membranes.
- **On the eye:** Strong irritant with the danger of severe eye injury. Corrosive effect. Causes serious eye irritation.
- **Additional toxicological information:** The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Corrosive
Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Interactive effects** No interactive effects between components are known.

- **Carcinogenic categories:**

IARC (International Agency for Research on Cancer):
None of the ingredients are listed.

(Contd. on page 7)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 07/06/2025

Revised on 07/06/2025

Trade Name: 440-R SMT Detergent

<ul style="list-style-type: none"> · NTP (National Toxicology Program):
None of the ingredients are listed.
<ul style="list-style-type: none"> · OSHA-Ca (Occupational Safety & Health Administration):
None of the ingredients are listed.
<ul style="list-style-type: none"> · Alternative sources for toxicological information
No non-standard sources for toxicological information where used.

12 Ecological Information

<ul style="list-style-type: none"> · Toxicity:
<ul style="list-style-type: none"> · Aquatic toxicity:
1310-73-2 Sodium Hydroxide
EC50 40 mg/l (Daphnia)
<ul style="list-style-type: none"> · Persistence and degradability: No further relevant information available. · Bioaccumulative potential: No further relevant information available. · Mobility in soil: No further relevant information available. · Results of PBT and vPvB assessment: · PBT: Not applicable. · vPvB: Not applicable. · Other adverse effects: · Additional ecological information: · General notes:
<p>Must not reach bodies of water or drainage ditch undiluted or unneutralized.</p> <p>Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.</p>

13 Disposal Considerations

<ul style="list-style-type: none"> · Waste treatment methods
<p>Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.</p>
<ul style="list-style-type: none"> · Recommendation:
<p>Must not be disposed of together with household waste. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.</p>
<ul style="list-style-type: none"> · Uncleaned packaging
<ul style="list-style-type: none"> · Recommendation: Disposal must be made according to official regulations. · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport Information

<ul style="list-style-type: none"> · UN-Number: 	Non-Regulated Material
<ul style="list-style-type: none"> · DOT, ADR/ADN, IMDG, IATA 	Non-Regulated Material
<ul style="list-style-type: none"> · UN proper shipping name: 	UN-
<ul style="list-style-type: none"> · DOT, IMDG, IATA 	Non-Regulated Material
<ul style="list-style-type: none"> · ADR/ADN 	UN-

(Contd. on page 8)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 07/06/2025

Revised on 07/06/2025

Trade Name: 440-R SMT Detergent

- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **Special precautions for user:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

15 Regulatory Information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
No further relevant information available.

· **SARA (Superfund Amendments and Reauthorization):**

Section 355 (extremely hazardous substances):
None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):
None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

7732-18-5	Water, distilled water, deionized water	ACTIVE
1344-09-8	Silicic acid, sodium salt	ACTIVE
1310-73-2	Sodium Hydroxide	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients are listed.

· **California Proposition 65:**

Chemicals known to cause cancer:
None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **New Jersey Right-to-Know List:**

1310-73-2	Sodium Hydroxide	
-----------	------------------	--

· **New Jersey Special Hazardous Substance List:**

1310-73-2	Sodium Hydroxide	CO, R1
-----------	------------------	--------

· **Pennsylvania Right-to-Know List:**

1310-73-2	Sodium Hydroxide	
-----------	------------------	--

· **Pennsylvania Special Hazardous Substance List:**

1310-73-2	Sodium Hydroxide	E
-----------	------------------	---

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 07/06/2025

Revised on 07/06/2025

Trade Name: 440-R SMT Detergent

· **Carcinogenic categories:**

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



· **Signal word:** Danger

· **Hazard-determining components of labeling:**

Sodium Hydroxide

· **Hazard statements:**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· **Precautionary statements:**

P260 Do not breathe dusts or mists.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

(Contd. on page 10)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 07/06/2025

Revised on 07/06/2025

Trade Name: 440-R SMT Detergent

· **Date of preparation** 07/06/2025

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute toxicity - oral 4: Acute toxicity – Category 4

Skin corrosion 1A: Skin corrosion/irritation – Category 1A

Skin irritation 2: Skin corrosion/irritation – Category 2

Eye damage 1: Serious eye damage/eye irritation – Category 1

Eye irritation 2A: Serious eye damage/eye irritation – Category 2A

Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106